



一般砥石

WA 砥石シリーズ 標準品

高炭素鋼、合金鋼、工具鋼等の焼入鋼など用砥石



外径	製品コード	品名			寸法	ケース入り数
150φ	2126K34CS	WA	60	K	150 × 13 × 12.70	30
	2128K34CS	WA	80	K	150 × 13 × 12.70	30
	2124K35CS	WA	46	K	150 × 16 × 12.70	26
	2126K35CS	WA	60	K	150 × 16 × 12.70	26
	2126K35DS	WA	60	K	150 × 16 × 15.88	26
	2128K35CS	WA	80	K	150 × 16 × 12.70	26
180φ	2126H44JT	WA	60	H	180 × 13 × 31.75	15
	2128K44JT	WA	80	K	180 × 13 × 31.75	15
205φ	2128K42JS	WA	80	K	205 × 6.4 × 31.75	25
	2124K46DS	WA	46	K	205 × 19 × 15.88	12
	2124K46HS	WA	46	K	205 × 19 × 25.40	12
	2126K46DS	WA	60	K	205 × 19 × 15.88	12
	2126K46HS	WA	60	K	205 × 19 × 25.40	12
	2128K46DS	WA	80	K	205 × 19 × 15.88	12
	2128K46HS	WA	80	K	205 × 19 × 25.40	12
	2126K47DS	WA	60	K	205 × 25 × 15.88	10
	2126K47HS	WA	60	K	205 × 25 × 25.40	10
2128K47HS	WA	80	K	205 × 25 × 25.40	10	
255φ	2124K57HS	WA	46	K	255 × 25 × 25.40	10
	2126K57ES	WA	60	K	255 × 25 × 19.05	10
	2126K57HS	WA	60	K	255 × 25 × 25.40	10
	2128K57ES	WA	80	K	255 × 25 × 19.05	10
	2128K57HS	WA	80	K	255 × 25 × 25.40	10
305φ	2126K68HS	WA	60	K	305 × 32 × 25.40	5
	2128K68HS	WA	80	K	305 × 32 × 25.40	5

※一部即納対応ができない製品もございます



株式会社 TKX

〒543-0011 大阪府大阪市天王寺区清水谷町 5 番 16 号

TEL 06-6768-0681 (代表) FAX 06-6768-4000

URL <http://www.tkx.co.jp>

■ご用命は